



AGRICULTURAL CAMPAIGN



ALLSTAR TRADING s.r.o.
Okrajova 4c, 736 01 Havířov
Tel./Fax: +420 596 410 120
info@autoelektrika.cz
www.autoelektrika.cz

Booster Cabel



Moulded brass charging clips.
PVC insulated.

192209

2 leads of 3.5 mtr. (red / black)
25 mm². 770/0.20 mm.
230 Amp. (BS638)

192211

2 leads of 3.5 mtr. (red / black).
50 mm². 1558/0.20 mm.
370 Amp. (BS638).


192210

2 leads of 3.5 mtr. (red / black).
35 mm². 1083/0.20 mm.
290 Amp. (BS638).

192212

2 leads of 5 mtr. (red / black).
50 mm². 1558/0.20 mm.
370 Amp. (BS638).

Electromagnetic Battery Switches



180604

W/ separate power supply.
W/ both negative and positive disconnection.
12 V.
200 Amp. continued, 2500 Amp. for 5 sec.

Switches



180044

Water and dust resistant. 5 position.
Parking light-off-ignition-glow-start.
10 terminals.
Fixing hole 26.5 mm.
DIN 40050, IP63.
Supplied with 2 keys.
Servicing Deutz, IH.
Spare key: Cargo 180340.



181235

Replacing Lucas 34228.
Servicing Massey Ferguson.
4 positions.
Off / ignition / glow / start.
6 terminals.
Fixing hole 16 mm.
Supplied w/ 2 keys.
Spare key: Cargo 181465.



181236

Replacing Lucas 35630.
Servicing Massey Ferguson.
4 positions.
Start / Off / glow / start.
4 terminals.
Fixing hole 16 mm.
Supplied w/ 2 keys.
Spare key: Cargo 181465.



181237

Replacing Lucas 36614.
Servicing Massey Ferguson.
5 positions.
Off / aux / ignition / glow / start.
7 terminals.
Fixing hole 16 mm.
Supplied w/ 2 keys.
Spare key: Cargo 181465.

Multi Purpose Switches




181249

12 V. 50 Amp. / 24 V. 25 Amp.
On / off.
Symbol on bottom: Lift & Lower.
2 terminals.
Protection degree at panel side: IP67,
DIN 40053.
Fixing hole 30.5 mm.



181248

12 V. 50 Amp. / 24 V. 25 Amp.
On / off.
Symbol on bottom: Lift & Lower.
4 terminals.
Protection degree at panel side: IP67,
DIN 40053.
Fixing hole 30.5 mm.



181257

12 V. 50 Amp. / 24 V. 25 Amp.
On / off.
Symbol on bottom: Position Light.
4 terminals.
Illuminated.
Protection degree at panel side: IP67,
DIN 40053.
Fixing hole 30.5 mm.




181252

12 V. 50 Amp. / 24 V. 25 Amp.
On / off.
Symbol on bottom: Start.
2 terminals.
Protection degree at panel side: IP67,
DIN 40053.
Fixing hole 30.5 mm.



181253

12 V. 50 Amp. / 24 V. 25 Amp.
On / off.
Symbol on bottom: Adjustable Light.
4 terminals.
Illuminated.
Protection degree at panel side: IP67,
DIN 40053.
Fixing hole 30.5 mm.



181260

12 V. 50 Amp. / 24 V. 25 Amp.
On / off.
Symbol on bottom: Air Conditioning.
4 terminals.
Illuminated.
Protection degree at panel side: IP67,
DIN 40053.
Fixing hole 30.5 mm.




181258

12 V. 50 Amp. / 24 V. 25 Amp.
On / off.
Symbol on bottom: Horn.
2 terminals.
Protection degree at panel side: IP67,
DIN 40053.
Fixing hole 30.5 mm.



181254


12 V. 50 Amp. / 24 V. 25 Amp.
On / off.
Symbol on bottom: Parking Light.
4 terminals.
Illuminated.
Protection degree at panel side: IP67,
DIN 40053.
Fixing hole 30.5 mm.



181255


12 V. 50 Amp. / 24 V. 25 Amp.
On / off.
Symbol on bottom: Wipers.
5 terminals.
Protection degree at panel side: IP67,
DIN 40053.
Fixing hole 30.5 mm.

Multi Purpose Switches




181250

12 V. 50 Amp. / 24 V. 25 Amp.
On / off.
Symbol on bottom: Driving Light.
5 terminals.
Illuminated.
Protection degree at panel side: IP67,
DIN 40053.
Fixing hole 30.5 mm.




181263

12 V. 50 Amp. / 24 V. 25 Amp.
On / off.
Symbol on bottom: Blank.
6 terminals.
Illuminated.
Protection degree at panel side: IP67,
DIN 40053.
Fixing hole 30.5 mm.



181251

12 V. 50 Amp. / 24 V. 25 Amp.
On / off.
Symbol on bottom: Rotating Beacon.
6 terminals.
Illuminated.
Protection degree at panel side: IP67,
DIN 40053.
Fixing hole 30.5 mm.



181259

12 V. 50 Amp. / 24 V. 25 Amp.
On / off.
Symbol on bottom: 4 Wheel Drive.
6 terminals.
Illuminated.
Protection degree at panel side: IP67,
DIN 40053.
Fixing hole 30.5 mm.

Rotating Beacons



SIRENA

BOULE

Unbreakable and flexible.
O.D. 152 mm. H. 240 mm.
Standard ISO-DIN A fixing.
Resists obstacles: bends down and bounces back.
Watertight.
Amber dome.
W/ H1 bulb.
E-approved.

170540

12 V.



SIRENA

TYPE FT 6

O.D. 150 mm. H. 250 mm.
Dual fixing facilities: Standard ISO - DIN A or DIN B fixing.
W/o H1 bulb.
12 / 24 V. dual voltage power supply.

170491

Amber dome.
E-approved.



Astral "Flex"

Unbreakable and flexible.
O.D. 142 mm. H. 235.5 mm.
Standard ISO - DIN A fixing.
Base made of flexible plastic material.
Amber dome.
W/ H1 bulb.
E-approved.

170971

12 V.

AEB Type 590 / 595



AEB Type 590.

O.D. 140 mm. H. 250 mm.
Standard ISO - DIN A fixing.
Amber dome.
W/ H1 bulb.
E-approved.

170295

12 V.


Adapter-Sockets and Brackets for Beacons



170292
Adapter socket.
For welding.



170406
W/ adjustable bracket.




170419
W/ 90° angle and upright fixing bracket.



170387
Adapter socket.
W/ nuts.




170562
As Cargo 170406, but
w/ bracket turned 90°.



170434
Can be changed from right to left fixing.
For Ford Tractor Force II and Q cap cabin etc.



170405
For flat fixing.




170789
For horizontal fixing, but allows the beacon to
bend when required, or when there is an
obstacle to avoid.



170460
For John Deere tractor etc.



170788
For flat fixing.



170537
W/ bracket.



170501
For IH/CASE tractor etc.

Work Lamps

SINGLE POWER

Halogen work lamp w/ free form reflector (= 50% more light).



171449

W/ glass lens.
Shock-proof plastic housing.
Light aperture 73 x 73 mm.
W/o grille and switch.
External plug for multiplug connection.
W/o H3 bulb.



170857

W/ glass lens.
Shock-proof plastic housing.
Light aperture 73 x 73 mm.
W/o grille, handle and switch.
External plug for multiplug connection.
W/o H3 bulb.



Rinder

170237

W/ glass lens.
Shock-proof plastic housing.
Light aperture 131 mm.
W/ metallic grille, handle and switch.
W/o H3 bulb.

Multifunctions Lamp



TAIL-STOP-FLASHER LAMP

Shock-proof plastic base plate.
2 holes for fixing screws (<-> 45 mm.)
Terminal connection.
Dimension 122.5 x 122.5 x 53 mm.
E-approved.

171191

Flasher in the top.
W/ or w/o illumination for number plate (removable lens section).



(Stop and flasher lamp).

21 Watt, BA15s.



(Tail and numberplate lamp).

10 Watt, BA15s.


Trailer Lighting Boards



170809 Std pkg 1

12 V.
Light galvanized construction.
W/ 7.5 mtr. cable w/ 7-pol plug.
W.: 1.6 mtr. not adjustable.
Fitted w/ 2 tail-stop-flasher lamps.
W/ bulbs and numberplate holder.

Reflectors



170163 Std pkg 10

Triangle, red.
Plastic.
2 fixing holes (<-> 70 mm.)
E-approved.
Approval: III A.

Position Lamp



Shock-proof black plastic base plate.
2 fixing holes (<-> 30 mm.)
Terminal connection.
Dimension 62 x 62 x 46 mm.
E-approved.

Also as Tail, Tail-position and Side marker lamp.

171171 Std pkg 6

Replacing
White.



(Position lamp).

5 Watt, S8.5 (36 mm.)



171174 Std pkg 6

As Cargo 171171, but
w/ reflex reflector
White.
E-approved.



(Position lamp).

5 Watt, S8.5 (36 mm.)

Reflector Triangles




W/ red retroreflective high intensive foil (class A) and red fluorescent foil.

170390 Std pkg 25
1.5 mm. aluminium plate.
W/o bracket.
E-approved.

170759
As Cargo 170390, but with PE shock- proof plastic plate.
W/o bracket.
E-approved.

170407 Std pkg 100
Adhesive foil.

Accessories for Cargo 170390 and 170759




170393
Kit set for Cargo 170390 and 170759.
Male and female brackets, bolts and nuts.

Stop and Flasher - Position Bulbs


Jahn

H3

O.D. 11.5 mm.



42 mm.



Base: PK 22 s.

Std pkg 10

170333 12 V. Halogen 55 Watt.

Jahn

O.D. 26.5 mm.



52.5 mm.



Base: BA 15 s.

Std pkg 10

170335 **A** .. 12 V. 21 Watt.


Jahn

H4

O.D. 16 mm.



78 mm.



Base: P 43 t.

Std pkg 10

170334 12 V. Halogen. 60/55 Watt.

Jahn

O.D. 19 mm.



35 mm.




Base: BA 15 s.

Std pkg 10

170339 **A** .. 12 V. 10 Watt.

BOSCH


110641 (Bo or Is)



Replacing 0120 300 514, 0120 339 531
Servicing Deutz, Fendt, KHD
 12 V. 33 Amp.
 W/ fan and single pulley
Regulator integral

A: 77 B: 56 mm.


111843



Replacing 0120 484 011
Servicing Case
 12 V. 95 Amp.
 W/o fan and pulley, w/ terminal W
Regulator integral

B: 51 mm.


111978 (Bo or Is)



Replacing 0120 484 021, 0986 039 820
Servicing Claas, Fendt
 12 V. 120 Amp.
 W/ fan, w/o pulley, w/ terminal W
Regulator integral

B: 56 mm.


112062 (Bo or Is)



Replacing 0123 512 500
Servicing John Deere
 12 V. 120 Amp.
 W/ internal fan, w/o pulley
Regulator integral

B: 56 mm.


112196 (Bo or Is)



Replacing 0123 510 074
Servicing Fendt
 12 V. 143 Amp.
 W/ internal fan, w/o pulley
Regulator integral

B: 56 mm.


113574 (Bo, Is or Lu)



Replacing 0120 489 958, -959
Servicing Case, New Holland, Valmet
 12 V. 65 Amp.
 W/ fan and single pulley
Regulator integral

A: 34 B: 10 C: 90 mm.

113632




Replacing 0120 484 002, -003, -016, -020
Servicing John Deere
 12 V. 95 Amp.
 W/ internal fan and single pulley
Regulator integral

A: 83.2 B: 56 mm.

ISKRA


110105 (Is or Mo)



Replacing AAK 1330, IA 0453, 11.201.453
Servicing John Deere
 12 V. 50 Amp.
 W/ fan, w/o pulley
Regulator integral

B: 56 mm.

112718 (Is, Lu or MM)




Replacing AAK 5326, IA 1018, 11.203.042
Servicing Fiat Traktor
 12 V. 100 Amp.
 W/ internal fan and pulley (6 grooves)
 W/ terminal W
Regulator integral

A: 30 B: 14 C: 83 mm.

ISKRA


113529 (Is or MM)



Replacing AAK 5354, IA 1019, 11.203.087
Servicing New Holland
 12 V. 120 Amp.
 W/ internal fan and pulley (8 grooves)
Regulator integral

A: 34 B: 15 C: 83 mm.

113531 (Bo or Is)




Replacing AAK 4321, IA 1154, 11.203.332
Servicing John Deere
 12 V. 120 Amp.
 W/ fan, w/o pulley
Regulator integral

B: 56 mm.

LUCAS


111185



Replacing 18ACR RH, LRA103
 12 V. 43 Amp.
 W/ fan, w/o pulley
 For pulley w/ 17 mm bore: use bushing 134894
 12 V. 60 Amp. use Cargo 112376
Regulator integral

B: 10 C: 81 mm.


111355



Replacing A127, 24158, 24209, LRA461
Servicing Case, JCB, Massey Ferguson, New Holland, Rover
 12 V. 65 Amp.
 W/ fan and single pulley, w/ terminal W
Regulator integral

A: 33.9 B: 11 C: 83.5 mm.


110483



Replacing C40A, LRD101
Servicing IH, Massey Ferguson,
 12 V. 11 Amp.
 Non ventilated
 W/o pulley

B: 10 C: 144 mm.

110484




Replacing C40T, LRD103
Servicing Case, Ford
 12 V. 22 Amp.
 W/ fan, w/o pulley
 W/ Tacho drive

B: 10 C: 144 mm.

MAGNETI MARELLI


111668 (Bo or MM)



Replacing AA125r, 633 200 45
Servicing Fiat, Lancia
 12 V. 70 Amp.
 W/ fan and single pulley
Regulator integral

A: 51 B: 24 C: 54 mm.

111686 (Bo, Is, MM or Mt)




Replacing AA125, 633 058 02
Servicing Alfa Romeo, Fiat, Lancia, Same
 12 V. 65 Amp.
 W/ fan and single pulley
Regulator integral

A: 46 B: 17 C: 65 mm.

MAGNETON

112035



Replacing 443 113 516 670, 9516 673
Servicing Zetor
 12 V. 70 Amp.
 W/ fan, w/o pulley, w/ terminal W
Regulator integral

B: 27 C: 66 mm.

MITSUBISHI

113562



Replacing A7T03877
Servicing New Holland
 12 V. 40 Amp.
 W/ internal fan and single pulley
Regulator integral

A: 41 B: 13 C: 82 mm.

MOTOROLA EUR

110127




Replacing 9AR 2712P, 510-803
Servicing Volvo
 12 V. 60 Amp. Insulated return
 W/ fan and single pulley
 Pos. or neg. ground
Regulator integral

B: 51 mm.

MOTOROLA US


110170



Replacing 8MA 2014P
Servicing Ford
 12 V. 72 Amp.
 W/ fan and single pulley
Regulator: Cargo 131175

A: 75 B: 51 mm.

111736



Replacing 110-252, 8MR 2033T
Servicing Massey Ferguson
 12 V. 90 Amp.
 W/ fan, w/o pulley
Regulator integral

B: 51 mm.

113176




Replacing 8SC 2023Z, 110-565
Servicing New Holland
 12 V. 185 Amp.
 W/ fan, w/o pulley
Regulator integral

B: 15 C: 103 mm.

NIPPONDENSO

111215




Replacing 100211-6030, -6031
Servicing John Deere
 12 V. 120 Amp.
 W/ internal fan, w/o pulley
Regulator integral

B: 58 mm.

MISCELLANEOUS

110497



Replacing NAB900
 12 V. 70 Amp.
 W/ fan and single pulley, w/ terminal W
Regulator integral

A: 29 B: 11 C: 83 mm.


110968



Replacing NAB300
Servicing Ford, Land Rover
 12 V. 65 Amp.
 W/ fan and single pulley, R/H
 W/ terminal W
Regulator integral

A: 26 B: 11 C: 85 mm.

110969




Replacing NAB301
Servicing Ford, Land Rover
 12 V. 65 Amp.
 W/ fan and single pulley, L/H
 W/ terminal W
Regulator integral

A: 38 B: 11 C: 84 mm.

MISCELLANEOUS

110970




D+
B+
B+

Replacing NAB302
12 V. 65 Amp.
W/ fan and single pulley
W/ terminal W
Regulator integral

A: 60 B: 27 mm.

110976




D+
B+
B+

Replacing NAB902, -904
12 V. 70 Amp.
W/ fan and single pulley, w/ terminal W
W/ mounting bracket for left and right side
of engine
Regulator integral

A: 86 B: 56 mm.

110977




D+
B+
B+

Replacing NAB901
24 V. 35 Amp.
W/ fan and single pulley, w/ terminal W
Regulator integral

A: 43 B: 11 C: 84 mm.

BOSCH

110529 (Bo or MM)



Replacing 0001 359 021, -102
Servicing Fiat
12 V. 4.0 kW.

3(0) A: 110 B: 27 mm.

110530 (Bo or MM)



Replacing 0001 359 108, 0001 367 013
Servicing Lamborghini, Same
12 V. 3.0 kW.

2(0) A: 82 B: 21 mm.


110536 (Bo or Is)



Replacing 0001 358 046, -049, -073
Servicing Deutz, Hanomag, Iveco, KHD,
Magirus Deutz
12 V. 3.0 kW.

3(0) A: 89 B: 26 mm.

110813 (Bo or MM)



Replacing 0001 362 039
Servicing Fiat, Goldoni
12 V. 2.7 kW.

3(0) A: 110 B: 27 mm.

110818 (Bo, Is or Lu)



Replacing 0001 362 060
Servicing Case
12 V. 2.1 kW.

3(0) A: 92 B: 25 mm.

111332 (Bo, Is, Mt or PR)



Replacing 0001 362 025, -043, -306
Servicing Fendt
12 V. 2.4 kW.
Gear reduction

3(0) A: 89 B: 20 mm.

BOSCH

111752



Replacing 0001 354 080, 0001 359 014
Servicing Case
12 V. 2.7 kW.

3(0) A: 89 B: 48 mm.

111755 (Bo or Is)



Replacing 0001 359 016, -090
Servicing John Deere
12 V. 3.1 kW.

2(0) A: 82 B: 35 mm.

112074



Replacing 0001 369 023, 0986 017 510
Servicing Ford tractor
12 V. 3.1 kW.

3(0) A: 92 B: 21 mm.

112442



Replacing 0001 367 077
Servicing John Deere
12 V. 3.0 kW.

3(0) A: 89 B: 47 mm.

112555 (Bo or Is)



Replacing 0001 369 014
Servicing Deutz-Fahr, Fendt, Hamm,
JW, KHD, Kramer, Linde
12 V. 3.1 kW.

3(0) A: 89 B: 35 mm.

112660 (Bo or Lu)



Replacing 0001 359 045, -069
Servicing Case, IH
12 V. 2.8 kW.

3(0) A: 89 B: 48 mm.

BRIGGS & STRATTON

110634



Replacing 390838, 391423, 392749, 394805
12 V. 0.65 kW.

CAV

110449



Replacing CA45-12-2, S115A12-1, 1327010
Servicing Caterpillar, Hyster,
Massey Ferguson
12 V. 3.6 kW.

3(0) A: 89 B: 49 mm.

ELMOT

110545 (El, Lu or Mt)



Replacing R11.01, R11A
Servicing Valmet, Zetor
12 V. 3.0 kW.

3(0) A: 89 B: 47 mm.

HITACHI


110439 (Hi or Lu)



Replacing S12-85, -87
Servicing Massey Ferguson
12 V. 2.0 kW.

3(0) A: 92 B: 25 mm.

110443 (Hi or Lu)



Replacing S12-84
Servicing Massey Ferguson
12 V. 2.1 kW.

3(0) A: 89 B: 30 mm.

110565 (Hi or Lu)




Replacing S13-73
Servicing Massey Ferguson
12 V. 3.0 kW.

3(0) A: 89 B: 29 mm.

ISKRA

112136 (Is or Lu)



Replacing IS 0896, 11.130.896, AZJ 3318
Servicing Massey Ferguson
12 V. 2.8 kW.

3(0) A: 89 B: 47 mm.

110438




Replacing M45G, 2M113, 26288, LRS172
Servicing Case
12 V. 2.1 kW.

3(0) A: 89 B: 20 mm.

LUCAS

110462



Replacing M50, M127, 26338, LRS 212
Servicing Ford
12 V. 2.8 kW.

3(0) A: 92 B: 22 mm.

110615



Replacing M50, M127, 26357, LRS 195
Servicing Atlas Copco, Case,
Massey Ferguson, Renault
12 V. 2.8 kW.

3(0) A: 89 B: 28 mm.

110819



Replacing M50, 26273, LRS 301
Servicing Massey Ferguson
12 V. 2.8 kW.

3(0) A: 92 B: 25 mm.

UNITED TECHNOLOGIES

111012



Replacing SM 47330, 41-098-06
Servicing Kohler
12 V.

COMPRESSORS



| Servicing | Cargo number | Type | Replacing |
|-----------------|--------------|--------------------|--------------|
| Universal | 240341 | Sanden | sd7h15-7862 |
| Universal | 240341 | Sanden | sd7h15-8023 |
| Universal | 240341 | Aston Martin | 89-64678 |
| Universal | 240341 | New Holland | 84018077 |
| Universal | 240341 | New Holland | 84018078 |
| Universal | 240341 | New Holland | 89831429 |
| Universal | 240341 | Case | 84018078 |
| Universal | 240341 | Case | 89831429 |
| Universal | 240389 | Sanden | sd7h15-4609 |
| Universal | 240389 | Sanden | SD7H15-U4609 |
| Universal | 240389 | New Holland | 199755C2 |
| Universal | 240389 | New Holland | 1999755c3 |
| Universal | 240389 | Case | 1999755C2 |
| Universal | 240389 | Case | 1999755c3 |
| Universal | 240391 | Sanden | sd7h15-8035 |
| Universal | 240391 | New Holland | 3129547 |
| Universal | 240402 | Sanden | sd7h15-7975 |
| Universal | 240402 | Claas | 6259932 |
| Universal | 240405 | Sanden | sd7h15-8138 |
| Universal | 240405 | New Holland | 84807673 |
| Universal | 240413 | Sanden | sd5h14-6651 |
| Universal | 240413 | Claas | 6258771 |
| Universal | 240413 | Cargo | 240404 |
| Universal | 240455 | Sanden | sd7h13-8901 |
| Universal | 240455 | New Holland | 84032734 |
| Universal | 240455 | Cargo | 240433 |
| Universal | 240555 | John Deere | re64024 |
| Universal | 240555 | Denso | 447100-8150 |
| Universal | 240555 | Denso | 447100-8151 |
| Universal | 240557 | John Deere | re55422 |
| Universal | 240557 | Denso | 447100-2380 |
| Universal | 240557 | Denso | 447100-3830 |
| Universal | 240557 | Denso | 447100-3831 |
| Universal | 240557 | Denso | 447100-3832 |
| Universal | 240557 | Denso | 447100-3833 |
| Universal | 240557 | Denso | 447100-3834 |
| Universal | 240557 | Denso | 447100-3835 |
| Universal | 240572 | Sanden | sd7h15-7849 |
| Universal | 240572 | New Holland | 5165548 |

COMPRESSORS



| Servicing | Cargo number | Type | Replacing |
|-------------------------------------|--------------|-------------------|-------------|
| Universal | 240573 | Sanden | sd7h15-7851 |
| Universal | 240573 | Massey Ferguson | 3550921m91 |
| Universal | 240804 | Sanden | SD7H15-4637 |
| Universal | 240804 | New Holland | 89824775 |
| Universal | 240814 | Sanden | sd7h15-4864 |
| Universal | 240815 | Sanden | sd7h15-4864 |
| Universal | 240815 | Sanden | sd7h15-7865 |
| Universal | 240815 | Sanden | sd7h15-8026 |
| Universal | 240816 | Sanden | sd7h15-4864 |
| Universal | 240817 | Sanden | sd7h15-4864 |
| Universal | 240817 | Sanden | sd7h15-7830 |
| Universal | 240818 | Sanden | sd508-9263 |
| Universal | 240818 | Sanden | SD508-9268 |
| Universal | 240818 | Sanden | sd7h15-4434 |
| Universal | 240819 | Sanden | SD508-9006 |
| Universal | 240819 | Sanden | sd508-9263 |
| Universal | 240819 | Sanden | SD508-9268 |
| Universal | 240819 | Sanden | sd7h15-4434 |
| Universal | 240820 | Sanden | sd508-9263 |
| Universal | 240820 | Sanden | SD508-9268 |
| Universal | 240820 | Sanden | sd510-9136 |
| Universal | 240820 | Sanden | sd7h15-4434 |
| Universal | 240821 | Sanden | SD508-9026 |
| Universal | 240821 | Sanden | sd508-9263 |
| Universal | 240821 | Sanden | SD508-9268 |
| Universal | 240821 | Sanden | sd7h15-4434 |
| New Holland 140-90 01.96- | 240393 | Sanden | sd7h15-7929 |
| New Holland 4635 09.95-12.98 | 240393 | New Holland | 5165549 |
| New Holland 4835 09.95-12.98 | 240393 | Case | 5165549 |
| New Holland 50-86 03.92- | 240393 | Case | 5165549 |
| New Holland 55.86 03.92- | 240393 | Case | 5165549 |
| New Holland 5635 09.95-12.98 | 240393 | Case | 5165549 |
| New Holland 60-86 03.92- | 240393 | Case | 5165549 |
| New Holland 65-94 01.93-12.95 | 240393 | Case | 5165549 |
| New Holland 6635 09. | 240393 | Case | 5165549 |
| New Holland 720 04.01- | 240406 | Sanden | sd7h15-8143 |
| New Holland 740 04.01- | 240406 | New Holland | 84058795 |

COMPRESSORS



| Servicing | Cargo number | Type | Replacing |
|--------------------------------------|--------------|----------------------------|-------------|
| New Holland 760 04.01- | 240406 | New Holland | 84058795 |
| New Holland 780 04.01- | 240406 | New Holland | 84058795 |
| New Holland 820 02.01- | 240406 | New Holland | 84058795 |
| Massey Ferguson 372 N - | 240427 | Sanden | sd7h15-7960 |
| Massey Ferguson 375 00.86-00. | 240427 | Massey Ferguson 3763384m91 | |
| Massey Ferguson 382 - | 240427 | Massey Ferguson 3763384m91 | |
| Massey Ferguson 390 00.86-00. | 240427 | Massey Ferguson 3763384m91 | |
| Massey Ferguson 390 T 00.91-0 | 240427 | Massey Ferguson 3763384m91 | |
| Massey Ferguson 396 - | 240427 | Massey Ferguson 3763384m91 | |
| Massey Ferguson 398 00.83-00. | 240427 | Massey Ferguson 3763384m91 | |
| Massey Ferguson 399 00.86-00. | 240427 | Massey Ferguson 3763384m91 | |
| Massey Ferguson 4225 00.97- | 240428 | Sanden | sd7h15-7952 |
| Massey Ferguson 4235 00.97- | 240428 | | sd7h15-8088 |
| Massey Ferguson 4240 00.97- | 240428 | Cargo | 240388 |
| Massey Ferguson 4245 00.97-00 | 240428 | Massey Ferguson 3782613m2 | |
| Massey Ferguson 4255 00.97-00 | 240428 | Massey Ferguson 3782613m2 | |
| Massey Ferguson 4260 00.97- | 240428 | Massey Ferguson 3782613m2 | |
| Massey Ferguson 4265 00.97- | 240428 | Massey Ferguson 3782613m2 | |
| Massey Ferguson 4270 00.97- | 240428 | Massey Ferguson 3782613m2 | |
| Massey Ferguson 6235 - | 240429 | Sanden | sd7h15-8056 |
| Massey Ferguson 6245 - | 240429 | Massey Ferguson 3779466m1 | |
| Massey Ferguson 6255 - | 240429 | Massey Ferguson 3779466m1 | |
| Massey Ferguson 6270 - | 240429 | Massey Ferguson 3779466m1 | |
| Massey Ferguson 6280 00.99- | 240429 | Massey Ferguson 3779466m1 | |
| Massey Ferguson 6290 00.99- | 240429 | Massey Ferguson 3779466m1 | |
| New Holland 8000 Series 09.95 | 240432 | Sanden | sd7h15-8100 |
| New Holland M Series 7.5 09.95 | 240432 | New Holland | 820161581 |
| New Holland Tm Series 11.99- | 240432 | New Holland | 820161581 |
| New Holland Tv 140 01.98- | 240432 | New Holland | 820161581 |
| New Holland 5640 4.4 11.91-01. | 240434 | Sanden | sd7h15-8099 |
| New Holland 6640 5.0 11.91-01. | 240434 | Sanden | sd7h15-8148 |
| New Holland 7740 5.0 11.91-01. | 240434 | New Holland | 320161571 |
| New Holland 7840 6.6 11.91-12. | 240434 | New Holland | 878029120 |
| New Holland 8240 7.5 11.91-12. | 240434 | New Holland | 820161571 |
| New Holland 8340 7.5 11.91-07. | 240434 | Cargo | 240407 |
| New Holland Ts 100 5.0 07.03- | 240434 | Cargo | 240407 |
| New Holland Ts 110 5.0 07.03- | 240434 | Cargo | 240407 |
| John Deere 2054 - | 240552 | John Deere | az44541 |
| John Deere 2056 - | 240552 | Denso | 447100-2994 |
| John Deere 2058 - | 240552 | Denso | 447100-2994 |
| John Deere 2064 - | 240552 | Denso | 447100-2994 |
| John Deere 2066 - | 240552 | Denso | 447100-2994 |

COMPRESSORS



| Servicing | Cargo number | Type | Replacing |
|--------------------------------------|--------------|------------------|-------------|
| John Deere 2254 - | 240552 | Denso | 447100-2994 |
| John Deere 2256 - | 240552 | Denso | 447100-2994 |
| John Deere 2258 8.1 06.96- | 240552 | Denso | 447100-2994 |
| John Deere 2264 - | 240552 | Denso | 447100-2994 |
| John Deere 2266 - | 240552 | Denso | 447100-2994 |
| John Deere 6110 4.5 00.97- | 240553 | John Deere | al78779 |
| John Deere 6200 3.9 01.92- | 240553 | John Deere | ty6769 |
| | 240553 | Denso | 447100-2320 |
| | 240553 | Denso | 447100-2321 |
| | 240553 | Denso | 447100-2322 |
| | 240553 | Denso | 447100-2324 |
| John Deere 2450 - | 240556 | John Deere | re46657 |
| John Deere 2650 - | 240556 | Denso | 447100-2490 |
| John Deere 2850 - | 240556 | Denso | 447100-2491 |
| John Deere 3150 - | 240556 | Denso | 447100-2492 |
| John Deere 3350 - | 240556 | Denso | 447100-2493 |
| John Deere 3650 - | 240556 | Denso | 447100-2494 |
| John Deere 4050 06.87-12.89 | 240556 | Denso | 447100-2495 |
| John Deere 4055 7.6 01.89-06.9 | 240556 | Denso | 447100-2496 |
| John Deere 4250 7.6 06.87-12.8 | 240556 | Denso | 447100-2496 |
| John Deere 4255 7.6 01.89-06.9 | 240556 | Denso | 447100-2496 |

